



101 634 704

Coke

I hereby certify that this paper (along with any paper referred to as being attached and enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to:
Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: 10/8/08

Signature: [Signature]

(Anthony G. Sitko)

Docket No.: 29888/38379A
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Michael S. John et al.

Patent No.: 7,399,282

Issued: July 15, 2008

For: SYSTEM AND METHOD FOR OBJECTIVE
EVALUATION OF HEARING USING
AUDITORY STEADY-STATE RESPONSE

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.323**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

On the Cover Page:

At field (73), "Center" should be -- Centre --.

In the Claims:

At Column 43, line 37, "comprises" should be -- comprise --.

At Column 43, line 38, "stead-state" should be -- steady-state --.

At Column 43, line 48, "comprising" should be -- comprises --.

At Column 44, line 22, "steady-slate" should be -- steady-state --.

RECEIVED
PATENT & TRADEMARK OFFICE

OCT 16 2008

10/14/2008 SSANDAR1 00000019 7399282

01 FC:1811

100.00 OP

At Column 46, line 58, "intensities:" should be -- intensities; --.

At Column 46, line 63, "one of" should be -- one of: --.

The errors were found in the application as filed by applicant. Our check in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a) is enclosed.

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 13-2855, under Order No. 29888/38379A.

Dated:

10/8/08

Respectfully submitted,

By 

Anthony G. Sitko

Registration No.: 36,278
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357
(312) 474-6300
Attorney for Applicants

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,399,282
APPLICATION NO. : 10/634,704
ISSUE DATE : July 15, 2008
INVENTOR(S) : Michael S. John et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

At field (73), "Center" should be -- Centre --.

In the Claims:

At Column 43, line 37, "comprises" should be -- comprise --.

At Column 43, line 38, "stead-state" should be -- steady-state --.

At Column 43, line 48, "comprising" should be -- comprises --.

At Column 44, line 22, "steady-slate" should be -- steady-state --.

At Column 46, line 58, "intensities:" should be -- intensities; --.

At Column 46, line 63, "one of" should be -- one of: --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Anthony G. Sitko
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

1

OCT 16 2008